

Pancreatic Carcinoma: Exploring its Relationship with Diabetes and the Potential Chemopreventive Effects of Metformin

Divya Mahajan¹, Awadesh kumar Pandey²

¹Senior Resident, Department of Radiation Oncology, Government Medical College and Hospital Sector 32 Chandigarh, India.

²Head of Department, Department of Radiation Oncology, Government Medical College and Hospital Sector 32 Chandigarh, India.

Abstract

Objective: We aim to study the association between Pancreas cancer and Type2 Diabetes Mellitus and chemo-protective role of metformin. **Method:** We conducted a comprehensive systematic search for studies across various databases, including PubMed, Web of Science, Cochrane Library using the keywords “metformin” OR “biguanide” AND “pancreatic cancer” OR “pancreatic tumor” in “Title/ Abstract” AND “diabetes mellitus” was done. **Result:** An overall analysis of 18 articles by use of random effect model showed that compared with no use of metformin, the use of metformin could reduce the risk of pancreatic cancer in patients with type 2 diabetes. **Conclusion:** In this review, we delve into the intricate and symbiotic relationship between diabetes and PC (pancreatic cancer) by examining the fundamental mechanisms driving their coexistence. Utilizing metformin among individuals with diabetes appears to lower the risk of pancreatic cancer when compared to those who do not use metformin.

Keywords: Pancreas cancer- diabetes mellitus- metformin

Asian Pac J Cancer Biol, **9** (1), 61-66

Submission Date: 09/06/2023 Acceptance Date: 11/28/2023

Introduction

Pancreatic cancer ranks 14th in the global cancer incidence rate and 7th in the global cancer mortality according to GLOBOCAN 2020 statistics [1]. Pancreatic cancer is highly malignant in nature and high incidence of mortality with 495,733 new cases of pancreatic cancer are diagnosed each year worldwide and 466,003 deaths [1]. Surgery is the main modality of treatment for carcinoma Pancreas patients with 5 years survival rate of 15% to 25% [2]. Pancreatic cancer is the cause of high rate of mortality. Type 2 Diabetes mellitus is another leading cause of significant morbidity and mortality owing to a global increase in its incidence. Over 1 million deaths per year can be attributed to diabetes alone, making it the ninth leading cause of mortality. Its prevalence is predicted to reach up to 700 million by 2045 [3]. It is projected that by 2045, the prevalence of T2 Type2 Diabetes mellitus could reach as high as 700 million individuals. While long-standing diabetes has been associated with a relatively modest risk for pancreatic cancer (Pancreatic cancer), the emergence of new-onset diabetes mellitus

(NOD), particularly after the age of 50, is frequently seen as an early warning sign of an underlying pancreatic cancer [4].

Early identification of risk factors of carcinoma Pancreas i.e. smoking, drinking, obesity, diabetes, pancreatitis, and pancreatic cancer family history and early interventions to prevent these risk factors and in high risk individuals helps in reducing incidence and mortality of this deadly cancer [5]. Pancreatic cancer and diabetes mellitus have been subjects of significant research interest due to their complex relationship. While there is still some disagreement on the precise link between the duration of diabetes and the risk of pancreatic cancer, numerous studies have consistently shown that the risk of developing pancreatic cancer is notably higher in patients with diabetes [6]. Given the context provided, our objective is to conduct a comprehensive literature review to understand the intricate and multifaceted connection between diabetes and pancreatic cancer (Pancreatic cancer).

Corresponding Author:

Dr. Divya Mahajan

Senior Resident, Department of Radiation Oncology, Government Medical College and Hospital Sector 32 Chandigarh, India.

Email: divsmartn@gmail.com

Metformin, as a first-line drug for type 2 diabetes mellitus, has garnered considerable attention due to its potential role in reducing mortality in patients with pancreatic cancer. Several studies have indicated that patients with pancreatic cancer who were treated with metformin experienced a significant improvement in overall survival period and 5-year survival rates when compared to those who received other antidiabetic drugs or did not use metformin at all [7].

The goal of this review article is to provide a more detailed and rigorous investigation into the connection between the use of metformin in diabetes patients and the incidence rate of pancreatic cancer. By analyzing the collective evidence from various studies, the researchers hope to shed further light on the potential impact of metformin in pancreatic cancer development among individuals with diabetes. This research could have implications for clinical practice and possibly contribute to better management and prevention strategies for pancreatic cancer in diabetic patients. Given the context provided, our objective is to conduct a comprehensive literature review to understand the intricate and multifaceted connection between diabetes and Pancreatic cancer

Materials and Methods

This paper is based on the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA). An electronic search on PubMed, Web of Science, Cochrane Library, databases, using the keywords “metformin” OR “biguanide” AND “pancreatic cancer” OR “pancreatic tumor” in “Title/ Abstract” AND “diabetes mellitus” was done.

Inclusion criteria

We took only case-control or cohort study of 10 year period between 2013 to 2023 were taken for review. Reporting or including studies on the association between metformin use and pancreatic cancer risk; reporting the Relative Risk (RR), Hazard Ratio (HR) or Odds Ratio (OR) and 95% confidence interval (CI) of pancreatic cancer, or providing data that we can calculate them. Only those articles which were original research article for which free full text was available were taken. Studies those were in English language were only taken up for review.

Exclusion criteria

Cross-sectional studies; duplicated studies; preclinical studies (such as in vivo studies, primary studies, and animal studies); abstracts, case reports, reviews, conferences, letters, and books; only showing the relationship between metformin and pancreatic cancer mortality were excluded. Studies lacking necessary data. Studies with language other than English were excluded. Studies without free access were excluded.

Results

After thorough research via electronic search total 1275 articles were obtained by preliminary search. Only

114 articles were selected after reading title and abstract. Out of them only 17 articles were taken up for review after reading the full text and were consistent with our search (Table 1). Out of them two were prospective studies. Twelve were retrospective studies and four were case control studies. Eight studies showed protective benefit of metformin for Pancreatic cancer. i.e. study by Amin et al. 2017, [8] Yang et al. 2022, [9] Cheon et al. 2014, [10] Choi et al. 2016, [11] Lee et al. 2018, [12] Lin et al. 2015, [13] You et al. 2020, [14] Lu et al. 2015 [15]. All the studies that were chosen presented findings regarding the connection between metformin usage and the likelihood of developing pancreatic cancer. However, it's worth noting that the comparison drugs used as reference points in these studies were not the same. Eight studies showed p value for metformin not statistically significant for improved survival in diabetic patient with pancreatic cancer. i.e. study by Ambe et al. 2016, [16] Chaiteerakij et al. 2016, [17] De Jong et al. 2017, [18] Farmer et al. 2019, [19] Frouws et al. 2016, [20] Hwang et al. 2013, [21] Walker et al. 2014, [22] Wang et al. 2013 [21]. One study showed use of metformin is associated with increase risk of Pancreatic cancer in diabetic patients. i.e. Oh et al. 2020 [23].

Overall analysis

An overall analysis of 17 articles by use of random effect model showed that compared with no use of metformin, the use of metformin could reduce the risk of pancreatic cancer in patients with type 2 diabetes.

Discussion

Pancreatic cancer is associated with poor prognosis. Type 2 Diabetes mellitus is known as the most common risk factor of Pancreatic cancer. A meta-analysis by Ling et al. [24] suggested an increased Pancreatic cancer related mortality with T2 Type 2 Diabetes mellitus (relative risk [RR] 1.67; [95%CI: 1.30-2.14]) [8]. Obesity and smoking are two most common independent factors associated with Pancreas cancer even after adjusting these two factors which are independently most common factors of Pancreatic cancer still Type 2 Diabetes mellitus is an important risk factor of Pancreas cancer. Mendelian randomization studies examining the potential link between long-standing type 2 diabetes and pancreatic cancer have produced mixed results [25]. While some studies suggest a connection, others do not. A pooled analysis of these studies by Yuan et al. found a modestly increased risk of pancreatic cancer in long-standing diabetes patients, but more research is needed to confirm this association [26].

Biomarkers play a crucial role in early diagnosis of Pancreatic cancer among Type 2 Diabetes mellitus patients. A study found that patients with pancreatic cancer and diabetes mellitus (DM) exhibited elevated levels of glucagon when stimulated by glucose, implying that glucagon could serve as a potential biomarker [27]. Murakami et al. suggested that a serum CA19-9 level cutoff of 75 U/mL can effectively differentiate between individuals with diabetes with or without pancreatic

Table 1. Results of Various Studies Taken for Review

First author name, year	Study design	No. of cases	No. Of controls	Study period	Results
Ambe et al. 2016 [16]	Prospective study	19	25	1986-2013	Metformin use was associated with improved survival outcomes in patients with resected pancreatic cancer, but the difference was not statistically significant $p=0.3875$.
Amin et al. 2017 [8]	Prospective study	1098	818	2007-2011	Diabetic patient on metformin at time of pancreatic cancer diagnosis have improved survival $P<0.01$
Chaiteerakij et al. 2016 [17]	Retrospective study	366	614	2000-2011	Hazard ratio was 0.93 at 95% CI metformin was not statistically significant for improved survival in diabetic patient with pancreatic cancer $p=0.28$
Yang et al. 2022 [9]	Retrospective cohort study	76	92	2012-2020	Metformin use was associated with improved survival outcomes in patients with stage I and II pancreatic Cancer H.R. -0.47 at 95%CI but not in advanced stage.
Cheon et al. 2014 [10]	Retrospective cohort study	65	62	2005-2011	Metformin use was associated with improved survival outcomes in patients. $p=0.058$
Choi et al. 2016 [11]	Retrospective cohort study	56	127	2003-2010	Patient with advanced pancreas Cancer receiving metformin along with chemotherapy is associated with longer overall survival $p=0.044$
De Jong et al. 2017 [18]	Cohort	37,215	19,899	1998-2011	Use of metformin does not decrease risk of gastrointestinal Cancers H.R. =0.97 at 95% C.I
Farmer et al. 2019 [19]	Cohort	6105	49,524	1990-2014	No protective effect of metformin on individual outcome H.R=1.02 at 95% CI
Frouws et al. 2016 [20]	Retrospective cohort study	77	830	1998-2011	No association was found between overall survival, pancreatic cancer, and metformin use. $p=0.26$
Hwang et al. 2013 [21]	Retrospective cohort study	247	269	2003-2010	Metformin use is not associated with improved survival in subjects with advanced PAC. $p=0.367$
Lee et al. 2018 [12]	Retrospective cohort study	6,88,656	2,77,797	2009-2012	Diabetic patient are two fold increase risk of PAC when compared to non diabetic patient. Metformin use in diabetes decrease risk of PAC O.R=0.86
Lin et al. 2015 [13]	Cohort	36270	145080	2005-2010	Anti-diabetic therapy (ADT) especially metformin and long acting insulin protect against pancreas cancer H.R=0 at 95%C.I
Walker et al. 2014 [22]	Case control	81	89	2006-2011	Metformin use is not associated with decrease in risk of PAC in DM2 and does not alter the association between DM2 and Pancreatic cancer risk.
Wang et al. 2013 [23]	Case control	2158	8609	1998-2009	Metformin use is not associated with decrease in risk of PAC. O.R= 1.14 For metformin users with pancreatic cancer
You et al. 2020 [14]	Cohort	1,31,877	1,31,877	2005-2014	Metformin was associated with risk reduction in stomach, colon and liver as well as pancreatic cancer in DM2 patient
Lu et al. 2015 [15]	Case control	175	856	1996-2010	New onset diabetes or elevated HBA1C level associated with increase risk of pancreatic cancer. The relation between different anti-diabetic medications and pancreatic cancer seems to vary in strength, with the highest risk among users of insulin
Oh et al. 2020 [23]	Cohort	19,546	19,546	2011-2015	Metformin increase risk of PC O.R=0.88

cancer (Pancreatic cancer). At this specified threshold, the CA19-9 test exhibited a sensitivity of 69.5% and specificity of 98.2% for detecting Pancreatic cancer, with an area under the curve (AUC) of 0.875 (95% confidence interval: 0.826-0.924) [28]. Thrombospondin-1 (TSP-1) is another important biomarker is seen elevated in patient with T2 Type2 Diabetes mellitus Pancreatic cancer and is not seen in long-standing T2DM [29].

Pancreatotomy is the first line of management of

Pancreas cancer and is preferred modality for early stage. But long standing uncontrolled T2 Type2 Diabetes mellitus is non to delay wound healing and hence increases risk of post operative complications. According to a review conducted in 2013, individuals with diabetes exhibited an elevated risk of experiencing post-operative complications, with a rate of 45% compared to 35% in non-diabetic patients [30]. A study by Ambe et al. done in 2016 suggested that Metformin use was associated with

improved survival outcomes in patients with resected pancreatic cancer, but the difference was not statistically significant [16].

Additionally, it was observed that having a baseline HbA1c level exceeding 6.5%-7.0% was linked to reduced survival rates [31]. A study by Amin et al. 2017 suggested that Diabetic patient on metformin at time of pancreatic cancer diagnosis have improved survival thus supporting the above stated statement [8].

Studies investigating the influence of diabetes on Pancreatic cancer (Pancreatic cancer) patients undergoing chemotherapy have indicated that pre-existing diabetes may be linked to an increased risk of mortality. Kleef et al. observed a higher mortality rate among diabetes patients receiving adjuvant chemotherapy, with a hazard ratio (HR) of 1.19 (95% confidence interval: 1.01-1.40) [32]. Likewise, Hank et al. reported that the median overall survival in diabetes patients who received neo-adjuvant chemotherapy was shorter compared to non-diabetic patients (18 months vs. 54 months) [33]. Mechanism behind poor outcome is not clear some studies suggest that change in tumor microenvironment resulting in increase risk of metastasis by tumor hypoxia and perineural invasion [34]

Various drug are available and prescribed for T2 Type2 Diabetes mellitus in our review we will be focused on use of metformin. Metformin has attracted significant attention due to its potential anti-cancer effects i.e chemo-protective role in the context of Pancreatic cancer. Metformin is the primary drug of choice for managing Type 2 Diabetes (T2DM), and numerous studies have explored its impact on three crucial aspects related to Pancreas cancer. 1: Assessing Metformin as a factor that modifies the risk of developing Pancreatic cancer in individuals with T2 Type2 Diabetes mellitus [35]. Investigating the influence of Metformin on overall survival rates after Pancreatic cancer therapy [36]. Evaluating Metformin's role as an adjuvant therapy for individuals already diagnosed with Pancreatic cancer [37].

Early-stage pancreatic cancer patients who have mild hyperglycemia along with obesity could potentially be suitable candidates to initiate treatment with metformin. To sum it up, recent well-conducted studies with enhanced statistical analysis, accounting for factors like immortal time bias, have not shown any significant risk reduction in pancreatic cancer or improvements in overall survival as a result of metformin therapy. In the future, phase 3 randomized controlled trials (RCTs) will be valuable in shedding more light on this matter, particularly in the case of carefully selected individuals with pancreatic cancer. [38].

In conclusion, in this comprehensive review, we have summarized the intricate relationship between diabetes mellitus (DM) and Pancreatic cancer. It is well-established that long-standing diabetes is considered a significant risk factor for the development of Pancreas cancer. Early detection of Pancreatic cancer in individuals with Type 2 Diabetes mellitus is crucial but clinically challenging. Pancreatic cancer is relatively rare in both the general population and among those with diabetes. Therefore,

the development of a screening strategy for the diabetic population to detect Pancreatic cancer is urgently needed.

A clinically useful and cost-effective screening tool is essential for identifying Pancreatic cancer in patients with long-standing diabetes. Additionally, various biomarkers have been identified to differentiate Pancreatic cancer-related diabetes from the more common type 2 diabetes (T2DM). Combining different clinical and biochemical parameters has led to the development of various screening tools. Effective screening and early recognition of Pancreatic cancer can significantly improve the outcomes for individuals affected by this devastating cancer.

The question arises: Can we delay the onset or halt the progression of Pancreatic cancer in patients with DM? Future research may explore strategies to improve insulin resistance, such as regular physical exercise, intermittent fasting, and low-fat diets. Implementing healthy behaviors, like smoking cessation, is also critical for patients with long-standing DM. Furthermore, the potential role of glucose-lowering medications, such as metformin, in delaying the onset of Pancreatic cancer requires further investigation through longitudinal studies.

References

1. Sung H, Ferlay J, Siegel RL, Laversanne M, Soerjomataram I, Jemal A, Bray F. Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. CA: a cancer journal for clinicians. 2021 05;71(3):209-249. <https://doi.org/10.3322/caac.21660>
2. He J, Ahuja N, Makary MA, Cameron JL, Eckhauser FE, Choti MA, Hruban RH, Pawlik TM, Wolfgang CL. 2564 resected periampullary adenocarcinomas at a single institution: trends over three decades. HPB: the official journal of the International Hepato Pancreato Biliary Association. 2014 01;16(1):83-90. <https://doi.org/10.1111/hpb.12078>
3. Khan MAB, Hashim MJ, King JK, Govender RD, Mustafa H, Al Kaabi J. Epidemiology of Type 2 Diabetes - Global Burden of Disease and Fore-casted Trends. Journal of Epidemiology and Global Health. 2020 03;10(1):107-111. <https://doi.org/10.2991/jegh.k.191028.001>
4. Magliano DJ, Boyko EJ. IDF Diabetes Atlas 10th edition scientific committee. IDF DIABETES ATLAS [Internet]. 10th ed. Brussels: International Diabetes Federation; 2021 [cited 2023 Sep 2]. (IDF Diabetes Atlas). Available from: [http://www.ncbi.nlm.nih.gov/books/NBK581934/..](http://www.ncbi.nlm.nih.gov/books/NBK581934/)
5. Klein AP. Pancreatic cancer epidemiology: understanding the role of life-style and inherited risk factors. Nature Reviews. Gastroenterology & Hepatology. 2021 07;18(7):493-502. <https://doi.org/10.1038/s41575-021-00457-x>
6. Zechner D, Radecke T, Amme J, Bürtin F, Albert A, Partecke LI, Vollmar B. Impact of diabetes type II and chronic inflammation on pancreatic cancer. BMC cancer. 2015 02 13;15:51. <https://doi.org/10.1186/s12885-015-1047-x>
7. Lan W, Lin T, Yeh J, Feng C, Hsu J, Lin H, Kuo C, Lai C. Mechanism Underlying Metformin Action and Its Potential to Reduce Gastric Cancer Risk. International Journal of Molecular Sciences. 2022 Nov 16;23(22):14163. <https://doi.org/10.3390/ijms232214163>
8. Amin S, Mhango G, Lin J, Aronson A, Wisnivesky J, Boffetta P, Lucas AL. Metformin Improves Survival in Patients with Pancreatic Ductal Adenocarcinoma and Pre-Existing

- Diabetes: A Propensity Score Analysis. *The American Journal of Gastroenterology*. 2016 09;111(9):1350-1357. <https://doi.org/10.1038/ajg.2016.288>
9. Yang S, Lin S, Li N, Deng Y, Wang M, Xiang D, Xiang G, et al. Burden, trends, and risk factors of esophageal cancer in China from 1990 to 2017: an up-to-date overview and comparison with those in Japan and South Korea. *Journal of Hematology & Oncology*. 2020 Nov 02;13:146. <https://doi.org/10.1186/s13045-020-00981-4>
 10. Cheon YK, Koo JK, Lee YS, Lee TY, Shim CS. Elevated hemoglobin A1c levels are associated with worse survival in advanced pancreatic cancer patients with diabetes. *Gut and Liver*. 2014 03;8(2):205-214. <https://doi.org/10.5009/gnl.2014.8.2.205>
 11. Choi Y, Kim T, Oh D, Lee K, Han S, Im S, Kim T, Bang Y. The Im-pact of Diabetes Mellitus and Metformin Treatment on Survival of Patients with Advanced Pancreatic Cancer Undergoing Chemotherapy. *Cancer Research and Treatment*. 2016 01;48(1):171-179. <https://doi.org/10.4143/crt.2014.292>
 12. Lee DY, Yu JH, Park S, Han K, Kim NH, Yoo HJ, Choi KM, et al. The influence of diabetes and antidiabetic medications on the risk of pan-creatic cancer: a nationwide population-based study in Korea. *Scientific Reports*. 2018 06 26;8(1):9719. <https://doi.org/10.1038/s41598-018-27965-2>
 13. Lin C, Huang H, Chu F, Fan H, Chen H, Chu D, Wu L, et al. Association between Gastroenterological Malignancy and Diabetes Mellitus and Anti-Diabetic Therapy: A Nationwide, Population-Based Cohort Study. *PloS One*. 2015;10(5):e0125421. <https://doi.org/10.1371/journal.pone.0125421>
 14. You JH, Song SO, Kang MJ, Cho YY, Kim SW, Suh SH, Lee S, Lee Y, Lee B. Metformin and Gastrointestinal Cancer Development in Newly Diagnosed Type 2 Diabetes: A Population-Based Study in Korea. *Clinical and Translational Gastroenterology*. 2020 Nov;11(11):e00254. <https://doi.org/10.14309/ctg.0000000000000254>
 15. Lu Y, García Rodríguez LA, Malgerud L, González-Pérez A, Martín-Pérez M, Lagergren J, Bexelius TS. New-onset type 2 diabetes, elevated HbA1c, anti-diabetic medications, and risk of pancreatic cancer. *British Journal of Cancer*. 2015 Dec 01;113(11):1607-1614. <https://doi.org/10.1038/bjc.2015.353>
 16. Ambe CM, Mahipal A, Fulp J, Chen L, Malafa MP. Effect of Metformin Use on Survival in Resectable Pancreatic Cancer: A Single-Institution Experience and Review of the Literature. *PloS One*. 2016;11(3):e0151632. <https://doi.org/10.1371/journal.pone.0151632>
 17. Chaitteerakij R, Petersen GM, Bamlet WR, Chaffee KG, Zhen DB, Burch PA, Leof ER, Roberts LR, Oberg AL. Metformin Use and Survival of Patients With Pancreatic Cancer: A Cautionary Lesson. *Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology*. 2016 06 01;34(16):1898-1904. <https://doi.org/10.1200/JCO.2015.63.3511>
 18. Jong RG, Burden AM, Kort S, Herk-Sukel MP, Vissers PA, Janssen PK, Haak HR, et al. No Decreased Risk of Gastrointestinal Cancers in Users of Metformin in The Netherlands; A Time-Varying Analysis of Metformin Exposure. *Cancer Prevention Research (Philadelphia, Pa.)*. 2017 05;10(5):290-297. <https://doi.org/10.1158/1940-6207.CAPR-16-0277>
 19. Farmer RE, Ford D, Mathur R, Chaturvedi N, Kaplan R, Smeeth L, Bhaskaran K. Metformin use and risk of cancer in patients with type 2 diabetes: a cohort study of primary care records using inverse probability weighting of marginal structural models. *International Journal of Epidemiology*. 2019 04 01;48(2):527-537. <https://doi.org/10.1093/ije/dyz005>
 20. Frouws MA, Sibinga Mulder BG, Bastiaannet E, Zanders MMJ, Herk-Sukel MPP, Leede EM, Bonsing BA, Micog JSD, Van de Velde CJH, Liefers G. No association between metformin use and survival in patients with pancreatic cancer: An observational cohort study. *Medicine*. 2017 03;96(10):e6229. <https://doi.org/10.1097/MD.00000000000006229>
 21. Hwang AL, Haynes K, Hwang W, Yang Y. Metformin and survival in pancreatic cancer: a retrospective cohort study. *Pancreas*. 2013 Oct;42(7):1054-1059. <https://doi.org/10.1097/MPA.0b013e3182965a3c>
 22. Walker EJ, Ko AH, Holly EA, Bracci PM. Metformin use among type 2 diabetics and risk of pancreatic cancer in a clinic-based case-control study. *International Journal of Cancer*. 2015 03 15;136(6):E646-653. <https://doi.org/10.1002/ijc.29120>
 23. Oh TK, Song I. Metformin Use and the Risk of Cancer in Patients with Diabetes: A Nationwide Sample Cohort Study. *Cancer Prevention Research (Philadelphia, Pa.)*. 2020 02;13(2):195-202. <https://doi.org/10.1158/1940-6207.CAPR-19-0427>
 24. Ling S, Brown K, Miksza JK, Howells L, Morrison A, Issa E, Yates T, et al. Association of Type 2 Diabetes With Cancer: A Meta-analysis With Bias Analysis for Unmeasured Confounding in 151 Cohorts Comprising 32 Million People. *Diabetes Care*. 2020 09;43(9):2313-2322. <https://doi.org/10.2337/dc20-0204>
 25. Carreras-Torres R, Johansson M, Gaborieau V, Haycock PC, Wade KH, Relton CL, Martin RM, Davey Smith G, Brennan P. The Role of Obesity, Type 2 Diabetes, and Metabolic Factors in Pancreatic Cancer: A Mendelian Randomization Study. *Journal of the National Cancer Institute*. 2017 09 01;109(9):dix012. <https://doi.org/10.1093/jnci/dix012>
 26. Yuan S, Kar S, Carter P, Vithayathil M, Mason AM, Burgess S, Larsson SC. Is Type 2 Diabetes Causally Associated With Cancer Risk? Evidence From a Two-Sample Mendelian Randomization Study. *Diabetes*. 2020 07;69(7):1588-1596. <https://doi.org/10.2337/db20-0084>
 27. Stern JH, Arriaga Y, Gupta A, Verma U, Karri S, Syed S, Khosama L, et al. Fasting and Glucose-Stimulated Changes in Plasma Glucagon in Pancreatic Cancer: Potential Biomarkers for Detection?. *Pancreas*. 2019 01;48(1):e1-e3. <https://doi.org/10.1097/MPA.0000000000001208>
 28. Murakami M, Nagai Y, Tenjin A, Tanaka Y. Proposed cut-off value of CA19-9 for detecting pancreatic cancer in patients with diabetes: a case-control study. *Endocrine Journal*. 2018 06 27;65(6):639-643. <https://doi.org/10.1507/endocrj.EJ17-0380>
 29. Jenkinson C, Elliott VL, Evans A, Oldfield L, Jenkins RE, O'Brien DP, Apostolidou S, et al. Decreased Serum Thrombospondin-1 Levels in Pancreatic Cancer Patients Up to 24 Months Prior to Clinical Diagnosis: Association with Diabetes Mellitus. *Clinical Cancer Research: An Official Journal of the American Association for Cancer Research*. 2016 04 01;22(7):1734-1743. <https://doi.org/10.1158/1078-0432.CCR-15-0879>
 30. Raghavan SR, Ballehaninna UK, Chamberlain RS. The impact of perioperative blood glucose levels on pancreatic cancer prognosis and surgical outcomes: an evidence-based review. *Pancreas*. 2013 Nov;42(8):1210-1217. <https://doi.org/10.1097/MPA.0b013e3182a6db8e>
 31. Fan KY, Dholakia AS, Wild AT, Su Z, Hacker-Prietz A, Kumar R, Hodgin M, et al. Baseline hemoglobin-A1c impacts clinical outcomes in patients with pancreatic cancer. *Journal of the National Comprehensive Cancer Network: JNCCN*. 2014 01;12(1):50-57. <https://doi.org/10.6004/jnccn.2014.0006>

32. Kleeff J, Costello E, Jackson R, Halloran C, Greenhalf W, Ghaneh P, Lamb RF, et al. The impact of diabetes mellitus on survival following resection and adjuvant chemotherapy for pancreatic cancer. *British Journal of Cancer*. 2016 09 27;115(7):887-894. <https://doi.org/10.1038/bjc.2016.277>
33. Hank T, Sandini M, Qadan M, Weniger M, Ciprani D, Li A, Ferrone CR, Warshaw AL, Lillemoe KD, Fernández-Del Castillo C. Diabetes mellitus is associated with unfavorable pathologic features, increased postoperative mortality, and worse long-term survival in resected pancreatic cancer. *Pancreatology: official journal of the International Association of Pancreatology (IAP) ... [et al.]*. 2020 01;20(1):125-131. <https://doi.org/10.1016/j.pan.2019.10.007>
34. Li J, Ma J, Han L, Xu Q, Lei J, Duan W, Li W, et al. Hyperglycemic tumor microenvironment induces perineural invasion in pancreatic cancer. *Cancer Biology & Therapy*. 2015;16(6):912-921. <https://doi.org/10.1080/15384047.2015.1040952>
35. Bodmer M, Becker C, Meier C, Jick SS, Meier CR. Use of antidiabetic agents and the risk of pancreatic cancer: a case-control analysis. *The American Journal of Gastroenterology*. 2012 04;107(4):620-626. <https://doi.org/10.1038/ajg.2011.483>
36. Shi Y, Zhou X, Du P, Yin M, Xu L, Chen W, Xu C. Relationships are between metformin use and survival in pancreatic cancer patients concurrent with diabetes: A systematic review and meta-analysis. *Medicine*. 2020 09 11;99(37):e21687. <https://doi.org/10.1097/MD.00000000000021687>
37. Broadhurst PJ, Hart AR. Metformin as an Adjunctive Therapy for Pancreatic Cancer: A Review of the Literature on Its Potential Therapeutic Use. *Digestive Diseases and Sciences*. 2018 Nov;63(11):2840-2852. <https://doi.org/10.1007/s10620-018-5233-y>
38. Bosetti C, Rosato V, Li D, Silverman D, Petersen GM, Bracci PM, Neale RE, et al. Diabetes, antidiabetic medications, and pancreatic cancer risk: an analysis from the International Pancreatic Cancer Case-Control Consortium. *Annals of Oncology: Official Journal of the European Society for Medical Oncology*. 2014 Oct;25(10):2065-2072. <https://doi.org/10.1093/annonc/mdu276>



This work is licensed under a Creative Commons Attribution-Non Commercial 4.0 International License.