

Integrative Cancer Care: Leveraging Nutrition and Positive Psychology for Optimal Outcomes

Maryam Arabmoorchegani	Department of Pharmacy and Nutrition, Universita Della
	Calabria, Rende, Italy.
Mahsa Abbasi	Department of Microbiology, ZA.C., Islamic Azad
	University, Zanjan, Iran.
Mahya Asadalizadeh	Department of Biomedical Engineering, College of
	Engineering, University of Illinois at Chicago, Chicago, IL,
	USA.
Forough Motavaf	Department of Fisheries, Faculty of Natural Resources,
	University of Tehran, Karaj, Iran.

Overview: This review article examines novel approaches in cancer management, emphasizing the roles of healthy nutrition and positive psychology. In recent years, numerous studies have evaluated the effects of diets rich in antioxidants, omega-3 fatty acids, and fiber, as well as psychological interventions such as cognitive-behavioral therapy and mindfulness practices, on improving both the physical and mental well-being of cancer patients.

Methods: Relevant studies were retrieved from international databases using keywords including "cancer," "healthy nutrition," "positive psychology," "complementary treatment," and "immune system." Inclusion criteria comprised clinical articles, meta-analyses, and observational studies focusing on the impact of nutritional and psychological interventions on treatment outcomes in cancer patients. The quality of the selected studies was assessed using internationally recognized standards.

Results: The findings indicate that nutritional interventions can enhance cellular metabolism, reduce inflammation, and strengthen the immune system, which may contribute to slowing tumor growth. Additionally, psychological interventions have been shown to reduce anxiety and depression, improve emotional coping, and enhance the overall quality of life in patients. Notably, integrated approaches that combine nutritional and psychological strategies addressing both physical and mental health concurrently have yielded particularly promising results. However, some studies have reported limitations, such as small sample sizes and high variability in patient populations.

Conclusion: Integrating healthy nutritional strategies with psychological interventions as complementary therapies shows considerable potential for improving clinical outcomes and the quality of life in cancer patients. Future research employing more rigorous clinical designs and larger sample sizes is needed to clarify the precise role of these approaches within comprehensive cancer treatment protocols.

Introduction

As methods for detecting and treating various diseases continue to evolve, technology has played a crucial role in advancing this process [1-9]. Recent scientific research has led to significant advancements in various fields, including medicine, health, and technology. In pharmaceutical supply chain management, optimization models have been developed to improve drug distribution during crises such as pandemics, ensuring better access to essential treatments for patients [10].



Additionally, the impact of digitalization on mental health, particularly digital game addiction, has become an important research area that requires further investigation into its psychological and behavioral consequences [11]. In the field of nutrition and health, studies have shown that certain dietary components can positively affect metabolic and inflammatory markers in chronic diseases [12]. Meanwhile, cancer research has focused on understanding molecular changes in cells, which can contribute to a better understanding of disease progression and the development of new treatment strategies [13]. Research in maternal and neonatal health has also examined the relationship between biological markers and pregnancy outcomes, leading to improvements in screening and diagnostic methods [14]. On the other hand, materials engineering has seen innovations in advanced composite materials that enhance mechanical performance and durability [15]. In targeted cancer therapy, nanotechnology has facilitated the development of novel drug delivery systems, improving the precision of chemotherapy while minimizing side effects [16-17]. Moreover, diagnostic and pathological studies have emphasized the importance of aligning clinical observations with pathological findings to enhance diagnostic accuracy [18]. In dentistry, the use of specific compounds in restorative materials has led to improved bond strength and remineralization potential [19]. Additionally, research on environmental factors influencing disease development, particularly in oral cancer, has provided valuable insights into prevention and management strategies [20]. Cancer remains one of the most formidable health challenges worldwide, representing a leading cause of morbidity and mortality [21-24]. Despite notable advancements in conventional treatment modalities such as chemotherapy, radiotherapy, immunotherapy, and surgical interventions, these approaches are often accompanied by significant physical and psychological side effects [25-27]. Consequently, there is a growing interest in complementary and integrative strategies that can enhance the efficacy of traditional treatments while improving the overall well-being and guality of life of cancer patients [28-30]. An integrative approach that addresses both the physiological and psychological needs of patients has gained increasing attention in recent years, offering the potential for more holistic cancer care [31-33]. Among the emerging complementary strategies, healthy nutrition and positive psychology have demonstrated promising potential. Numerous studies have highlighted the role of specific dietary components in supporting the body's ability to combat cancer. Diets rich in antioxidants, omega-3 fatty acids, and dietary fiber have been shown to reduce inflammation, enhance cellular metabolism, and strengthen the immune system factors that collectively may contribute to slowing tumor growth and improving patient resilience during treatment [34]. For instance, antioxidants help neutralize free radicals that can damage cells [35], while omega-3 fatty acids have anti-inflammatory properties that may inhibit cancer progression [36]. Additionally, fiber supports gut health, which plays a crucial role in modulating immune responses [37]. Research suggests that omega-3 supplementation can improve the antioxidant status of cancer patients undergoing chemotherapy, further enhancing the body's resilience [38]. Moreover, studies indicate that omega-3 polyunsaturated fatty acids may act as pharmaconutrients, reducing inflammatory responses and supporting overall well-being during cancer treatment [39]. The role of nutrition in cancer care extends beyond physical health, as it may also positively influence mental well-being. Omega-3 fatty acids, for example, exhibit neuroprotective activity, potentially mitigating depression and anxiety in cancer patients [40]. Additionally, dietary interventions with omega-3 fatty acids and fiber-enriched formulas have been found to improve nutritional status and inflammatory responses in patients undergoing cancer treatment [41]. Parallel to nutritional interventions, psychological well-being has emerged as a critical determinant of cancer outcomes. The psychological burden of a cancer diagnosis, coupled with the stress of treatment, can lead to anxiety, depression, and diminished coping abilities [42]. Positive psychology, which focuses on fostering strengths such as optimism, resilience, and meaning in life, has shown considerable promise in supporting the mental health of cancer patients [43]. Psychological interventions like cognitive- behavioral therapy (CBT), mindfulness practices, and stress management programs have been associated with reduced levels of anxiety and depression, improved emotional regulation, and enhanced overall quality of life [44]. These interventions not only improve mental health but may also have physiological benefits, such as modulating stress-related hormonal pathways that influence immune function [45]. Research suggests that mindfulness-based interventions can significantly reduce psychological distress and improve overall well-being in cancer patients [46]. Furthermore, studies indicate that structured



psychological interventions, including mindfulness-based cognitive therapy (MBCT) and acceptance and commitment therapy (ACT), can help patients develop adaptive coping strategies, reduce fear of cancer recurrence, and improve emotional resilience [47]. Notably, integrative approaches that combine nutritional and psychological strategies offer synergistic benefits. Addressing both the body and mind concurrently can lead to better treatment adherence, reduced treatment-related complications, and improved long-term outcomes [48]. For example, patients who engage in mindfulness practices may be more likely to adhere to dietary recommendations, while proper nutrition can enhance energy levels and cognitive function, making psychological interventions more effective [49]. Emerging evidence suggests that such holistic strategies can improve survival rates, reduce recurrence risks, and foster a sense of empowerment among patients navigating their cancer journeys [50]. However, despite these promising findings, the field faces challenges, including limited large-scale clinical trials, heterogeneity in patient populations, and variability in intervention protocols [51]. Many existing studies suffer from small sample sizes and lack standardized methodologies, making it difficult to draw definitive conclusions [52]. Future research employing rigorous clinical trial designs, larger and more diverse populations, and standardized intervention frameworks is essential to establish the precise roles and mechanisms of these integrative approaches in cancer care [53]. This review article aims to provide a comprehensive examination of the current evidence regarding the roles of healthy nutrition and positive psychology in cancer management. It explores how these interventions can complement conventional treatments, improve clinical outcomes, and enhance the overall quality of life for cancer patients. By highlighting the synergistic potential of integrated nutritional and psychological care, this review underscores the need for a more holistic perspective in the fight against cancer.

Results

Findings

Following a systematic search in international scientific databases using keywords such as "cancer," "healthy nutrition," "positive psychology," "complementary treatment," and "immune system," a substantial number of articles and studies were identified. After applying the inclusion criteria and removing duplicates or those lacking the required quality, a set of studies (including review articles, meta-analyses, and randomized clinical trials) was ultimately included.

1. The Role of Nutrition in Overall Health and Immune Function

• Diets Rich in Antioxidants, Omega-3 Fatty Acids, and Fiber Reduce Systemic Inflammation and Improve Immune Function in Cancer Patients

Many studies have shown that diets rich in antioxidants (e.g., vitamins C and E), omega-3 fatty acids (found in fatty fish, seeds, and nuts), and fiber (fruits, vegetables, whole grains) can help reduce systemic inflammation, which is often linked to improved immune function in cancer patients. A systematic review indicated that vitamins A, C, E, selenium, and zinc act as antioxidants that strengthen the body's defense mechanisms, while omega-3 fatty acids regulate inflammation and inhibit tumor proliferation [37]. Additionally, omega-3 fatty acids from fish oil have demonstrated anti-inflammatory properties and may counteract cancer-related complications [54-55]. Furthermore, dietary fiber has been found to exhibit anti-inflammatory and antioxidant effects, reducing inflammation and oxidative stress [56]. Diets rich in fruits and vegetables, which provide essential fiber and antioxidants, have also been linked to lower systemic inflammation and improved lung health [57].

• Appropriate Calorie Intake and Essential Micronutrients Influence Cellular Metabolism and Tumor Growth



Evidence also indicates that appropriate calorie intake and the inclusion of essential micronutrients can positively influence cellular metabolism and signaling pathways associated with tumor growth. Research has shown that omega-3 fatty acids help suppress tumor growth by reducing oxidative stress, inflammatory responses, and tumor cell proliferation [36]. Additionally, bioactive food components, such as vitamins C and E, omega-3 fatty acids, and certain polyphenols, have been found to modulate immune response and reduce cancer risk by targeting inflammatory pathways [58]. Furthermore, a Mediterranean diet, which is rich in omega-3 fatty acids and plant-based antioxidants, has been associated with decreased chronic inflammation and protection against cancer and metabolic disorders [59].

2. Effectiveness of Positive Psychology Interventions

• Cognitive-Behavioral Therapy (CBT) and Mindfulness-Based Interventions Reduce Stress, Anxiety, and Depression in Cancer Patients

Multiple studies suggest that cognitive-behavioral therapy (CBT) and mindfulness-based interventions can reduce stress, anxiety, and depression in cancer patients. A randomized clinical trial found that both mindfulness- based cognitive therapy (MBCT) and CBT significantly reduced anxiety [44]. Another study confirmed that CBT interventions improve anxiety, depression, and overall quality of life among pre-diagnosed lung cancer patients [60]. Furthermore, MBCT was shown to be effective in alleviating anxiety symptoms and enhancing quality of life in breast cancer patients undergoing chemotherapy [61]. These interventions also appear to improve sleep quality, increase motivation to continue treatment, and decrease perceived pain. A systematic review and meta-analysis concluded that MBCT and CBT were equally effective in improving anxiety, depression, and sleep quality among individuals with anxiety disorders [62]., depression, and fatigue in cancer patients, with no significant difference between the two therapies

• Positive Psychology Interventions Improve Treatment Tolerance and Quality of Life (QoL)

Some research highlights that interventions rooted in positive psychology—such as optimism training or enhancing a sense of purpose in life—are significantly associated with better tolerance of treatment side effects and improved quality of life (QoL). A study on mindfulness-based interventions found that they not only reduced anxiety and depression but also increased self-efficacy and hopefulness, which are critical factors in treatment adherence [63]. Additionally, research on CBT-based interventions demonstrated that patients receiving psychological support reported improved coping mechanisms, which enhanced their ability to manage treatment-related stress and pain [64].

3. Combined Approaches of Nutrition and Positive Psychology

• Integrative Interventions Combining Nutrition and Psychological Support

A considerable portion of recent research focuses on integrative interventions targeting both nutritional improvements and psychological support. Findings show that patients who receive an appropriate diet alongside mindfulness or CBT tend to achieve physical and mental stability faster compared to control groups. A pilot study demonstrated that integrating mindfulness-based interventions with exercise and nutritional training led to greater reductions in BMI and weight among obese cancer patients, as well as improved cognitive regulation of appetitive behaviors [65]. Similarly, another study found that integrative body-mind-spirit interventions resulted in significant improvements in quality of life and reduced depression in lung cancer patients compared to traditional CBT approaches [66]. Additionally, research suggests that combining nutrition, exercise, and mindfulness may improve long-term outcomes and reduce treatment-related toxicities in breast cancer patients undergoing radiation therapy [67].



Clinical Examples

Below are eight clinical examples reported in various studies, illustrating the effective integration of nutrition and positive psychology in improving the condition of cancer patients:

1. Anti-Inflammatory Diet + Group CBT in Breast Cancer

In a small randomized trial on women with early-stage breast cancer, a diet rich in leafy green vegetables, antioxidant-rich fruits (e.g., berries), and omega-3 fatty acids combined with weekly CBT sessions led to reduced inflammatory markers (CRP and IL-6) and improved mental health scores for anxiety and depression [68-71].

2. Mindfulness-Based Stress Reduction (MBSR) + Mediterranean Diet in Colorectal Cancer

A study on patients with colon and rectal cancers indicated that following a Mediterranean diet (high in olive oil, vegetables, and whole grains) alongside an eight-week daily mindfulness practice enhanced sleep quality and reduced anxiety, thereby improving patients' tolerance to chemotherapy [72-74].

3. Omega-3 Supplementation + Optimism Training in Lung Cancer

In another study involving lung cancer patients, daily supplementation with omega-3 (under a nutritionist's supervision) paired with individual weekly optimism- training sessions significantly prevented unintentional weight loss and reduced depressive symptoms. Patient satisfaction with treatment also showed a marked increase [75-78].

4. Plant-Based Diet + Multifaceted Positive Psychology Interventions in Ovarian Cancer

A group of ovarian cancer patients followed a plant-based diet (rich in legumes, soy, vegetables, and fruits) combined with group positive-psychology sessions designed to enhance hope, self-efficacy, and social support. They exhibited notable improvements in quality-of-life (QoL) indicators, and several immune-related blood parameters improved moderately [79-82].

5. Low-Carbohydrate Diet + Mindful Yoga in Hodgkin's Lymphoma

An exploratory study found that integrating a low- carbohydrate diet (with controlled amounts of healthy proteins and fats) and mindful yoga sessions reduced chronic fatigue in Hodgkin's lymphoma patients and created a more favorable setting for radiotherapy response [83-86].

6. Protein-Enriched Beverages + Breathing Relaxation Techniques in Gastrointestinal Cancers

In a medium-sized clinical trial, patients with upper gastrointestinal cancers (esophageal and gastric) who consumed daily protein-enriched beverages along with training in breathing relaxation techniques showed more stable body weight and reported lower pain levels compared to the control group [87-90].



7. Vitamin D Supplementation + Logotherapy in Prostate Cancer

A prospective study in men with prostate cancer found that vitamin D intake (as advised by a specialist) along with logotherapy sessions enhanced patients' mental and physical energy levels while reducing hopelessness. Participants were also more consistent in attending radiotherapy and hormone therapy sessions [91-94].

8. Comprehensive Lifestyle Intervention (Nutrition + Exercise) + Group Positive Counseling in Leukemia

In a study on patients with chronic leukemia, lifestyle modification based on a balanced diet (combining plant and animal proteins but limiting simple sugars) and regular physical activity, coupled with group counseling emphasizing a positive outlook and peer support, increased patients' adherence to treatment and lowered anxiety levels [95-97].

These eight examples illustrate that nutrition and psychological interventions, when combined and tailored to individual patient needs, can contribute to improved treatment outcomes, better tolerance of side effects, and an enhanced quality of life in individuals with cancer. Nevertheless, the heterogeneity of interventions (in terms of dietary composition, number of psychological sessions, study duration, cancer type, etc.) remains a significant barrier to establishing a standardized, universally applicable protocol. Consequently, larger- scale longitudinal clinical trials are needed to confirm these findings and to develop precise, evidence-based treatment guidelines.

In conclusion, current evidence strongly supports the integration of nutritional strategies and positive psychology interventions as complementary approaches in cancer care. Nutritional patterns rich in antioxidants, omega-3 fatty acids, fiber, and essential micronutrients have been shown to reduce systemic inflammation, enhance immune function, and suppress tumor progression. At the same time, psychological interventions such as cognitive-behavioral therapy (CBT), mindfulness-based approaches (MBCT), and other positive psychology techniques significantly improve mental health outcomes, including anxiety, depression, sleep guality, and treatment adherence. These combined interventions not only foster physical and emotional wellbeing but also appear to contribute to improved treatment tolerance and overall quality of life. Collectively, the findings suggest that an integrative, biopsychosocial approach to cancer treatment holds significant promise for enhancing patient outcomes. However, despite these encouraging results, several challenges hinder the widespread implementation of such integrative approaches. One major issue is the heterogeneity of interventions across studies, including variations in dietary components, duration of psychological support, cancer type, and outcome measures. This lack of standardization makes it difficult to draw definitive conclusions or compare results across trials. In addition, many existing studies are limited by small sample sizes and short follow-up periods, which reduce their statistical power and limit the generalizability of findings. The absence of standardized, evidence-based protocols for combining nutrition and psychological interventions in clinical oncology settings also poses a significant barrier. Moreover, patient acceptance of these interventions may be influenced by cultural, socioeconomic, and educational factors, further complicating implementation. An increasing body of interdisciplinary research highlights the role of systemic factors ranging from healthcare policy inefficiencies and biomaterial innovations to the application of artificial intelligence in understanding, managing, and potentially mitigating complex disease pathways and global health challenges [98-101].

Looking ahead, future research should prioritize large-scale, multicenter randomized controlled trials with long-term follow-up to more rigorously evaluate the efficacy and safety of combined nutritional and psychological interventions. Developing personalized, adaptable protocols based on individual patient profiles including cancer type, stage, psychological state, and nutritional needs will be crucial for maximizing benefits. Additionally, efforts should be made to integrate these complementary strategies into routine oncology care, supported by interdisciplinary collaboration



among oncologists, dietitians, and mental health professionals. Public education campaigns and professional training programs will also be essential to enhance awareness and acceptance of integrative care. Ultimately, with well-designed research and strategic implementation, these holistic approaches have the potential to become a valuable component of comprehensive cancer treatment.

Acknowledgments

Statement of Transparency and Principals

- Author declares no conflict of interest
- Study was approved by Research Ethic Committee of author affiliated Institute.
- Study's data is available upon a reasonable request.
- All authors have contributed to implementation of this research.

References

References

- 1. Saedi T. A., Ghafourian S., Jafarlou M., Sabariah M. N., Ismail P., Eusni R. M. T., Othman F.. Berberis vulgaris fruit crude extract as a novel anti-leukaemic agent. *Journal of Biological Regulators and Homeostatic Agents*. 2015; 29(2)
- Nikasa M, Karimi P, Rajavand H, Afshari F, Jafarlou M, Soltanali M. High Cholesterol Diet Increases Expression of Cholesterol 24-Hydroxylase and BACE1 in Rat Hippocampi: Implications for the Effect of Diet Cholesterol on Memory. *Iranian Red Crescent Medical Journal*. 2024; 18(12):e35677. DOI
- 3. Alizadeh N, Kazemi T, Hemmat N, Jafarlou M, Baradaran B. The Combination of PD-L1 and CTLA-4 Suppression Significantly Decreased the Expression Levels of Cancer Stem Cell Factors in the Pancreatic Cancer Cell Line. *ImmunoAnalysis*. 2023; 3(1)DOI
- Ghahramanipour Z, Alipour S, Masoumi J, Rostamlou A, Hatami-Sadr A, Heris JA, Naseri B, Jafarlou M, Baradaran B. Regulation of Dendritic Cell Functions by Vitamins as Promising Therapeutic Strategy for Immune System Disorders. *Advanced Biology*. 2023; 7(12)<u>DOI</u>
- 5. Allahyarzadeh Khiabani N, Amin Doustvandi M, Mohammadnejad F, Salmani Hassan Kohal E, Boushehri N, Jafarlou M, Baradaran B. Combination of B7H6-siRNA and temozolomide synergistically reduces stemness and migration properties of glioblastoma cancer cells. *Experimental Cell Research*. 2023; 429(1)DOI
- 6. Shahverdi M, Masoumi J, Ghorbaninezhad F, Shajari N, Hajizadeh F, Hassanian H, Alizadeh N, Jafarlou M, Baradaran B. The modulatory role of dendritic cell-T cell cross-talk in breast cancer: Challenges and prospects. *Advances in Medical Sciences*. 2022; 67(2)DOI
- Jafarlou M., Baradaran B., Shanehbandi D., Saedi T. A., Jafarlou V., Ismail P., Othman F.. siRNA-mediated inhibition of survivin gene enhances the anti-cancer effect of etoposide in U-937 acute myeloid leukemia cells. *Cellular and Molecular Biology (Noisy-Le-Grand, France)*. 2016; 62(6)
- 8. Hosseinkhani N, Hemmat N, Baghbani E, Baghbanzadeh A, Kazemi T, Mokhtarzadeh A, Jafarlou M, Amin Doustvandi M, Baradaran B. Dual silencing of tumor-intrinsic VISTA and CTLA-4 stimulates T-cell mediated immune responses and inhibits MCF7 breast cancer development. *Gene*. 2024; 896DOI
- 9. Hajiasgharzadeh K, Jafarlou M, Mansoori B, Dastmalchi N, Baradaran B, Khabbazi A.



Inflammatory reflex disruption in COVID-19. *Clinical & Experimental Neuroimmunology.* 2022. <u>DOI</u>

- 10. Mahdavimanshadi M, Anaraki MG, Mowlai M, Ahmadirad Z. A multistage stochastic optimization model for resilient pharmaceutical supply chain in COVID-19 pandemic based on patient group priority. 2024 Systems and Information Engineering Design Symposium (SIEDS). *IEEE*. 2024. DOI
- 11. Nawaser K, Jafarkhani F, Khamoushi S, Yazdi A, Mohsenifard H, Gharleghi B. The Dark Side of Digitalization: A Visual Journey of Research through Digital Game Addiction and Mental Health. *IEEE Eng Manag Rev.* 2024;1-27. DOI
- 12. Musazadeh V, Assadian K, Rajabi F, Faghfouri AH, Soleymani Y, Kavyani Z, Najafiyan B. The effect of synbiotics on liver enzymes, obesity indices, blood pressure, lipid profile, and inflammation in patients with non-alcoholic fatty liver: A systematic review and meta-analysis of randomized controlled trials. *Pharmacological Research*. 2024; 208<u>DOI</u>
- Bokaii Hosseini Z, Rajabi F, Morovatshoar R, Ashrafpour M, Behboodi P, Zareie D, Natami M. Downregulation of LPAR1 Promotes Invasive Behavior in Papillary Thyroid Carcinoma Cells. *Cancer Informatics*. 2024; 23DOI
- 14. Shoarishoar SS, Milani F, Adineh S, Sorouri ZR, Maryam Attari S. Comparison of pregnancy outcomes in amniocentesis recipients with normal and abnormal maternal serum analytes. *Cellular and Molecular Biology (Noisy-Le-Grand, France)*. 2024; 70(11)DOI
- 15. Motta de Castro E, Bozorgmehrian F, Carrola M, Koerner H, Samouei H, Asadi A. Sulfurdriven reactive processing of multiscale graphene/carbon fiber- polyether ether ketone (PEEK) composites with tailored crystallinity and enhanced mechanical performance. *Composites Part B: Engineering.* 2025; 295DOI
- 16. Salehan F, Mohammadi Y, Shieh M, Askarizadeh M, Rahmani S, Alishahi F, Hheidari A. Folic Acid-Conjugated Nanoniosomes: An Effective Carrier for Targeted Bleomycin Delivery in Oral Cancer. *Asian Pacific Journal of Cancer Biology*. 2025; 10(1)DOI
- 17. Rezaei F, Fesharakinia T, Gavanaroudi SB, Rezaeianjam M, Goodarzi MK, Abdollahi M, Akaberi K. Utilizing Niosome Nanoparticles for the Combined Treatment of Curcumin and Cisplatin in Oral Cancer. *Asian Pacific Journal of Cancer Biology*. 2024; 9(4)DOI
- Shamloo N, Afzali Z, Rezaeianjam M, Khanlari Goodarzi M. Evaluating the Harmony Between Clinical Observations and Pathological Findings in Oral Soft Tissue Lesions: A Two-Decade Retrospective Study of Diagnostic Consistency. *Journal of Maxillofacial and Oral Surgery.* 2025; 24(1)DOI
- 19. Yeganeh PK, Teimourian H, Omidi BR, Amiri F, Tahriri M, Farahmandpour N. The Effect of Casein Phosphopeptide-Amorphous Calcium Phosphate Containing Bonding Agents on Dentin Shear Bond Strength and Remineralization Potential: An <i>in Vitro</i> Study. *Pesquisa Brasileira em Odontopediatria e Clínica Integrada*. 2024; 24<u>DOI</u>
- 20. Maddahi M, Ghanbarikondori P, Amiri F, Abdi N, Jahromi AM, Pour NS, Allahyartorkaman M, Moazzam F. Environmental Determinants of Oral Cancer Development: An Overview. Asian Pacific Journal of Environment and Cancer. 2024; 7(1)DOI
- 21. Kim Y, Friedman A, Kashdan E, Ledzewicz Y, Yun C. Application of ecological and mathematical theory to cancer: New challenges.. *Mathematical biosciences and engineering: MBE*. 2015; 12(6)DOI
- 22. Prabhakar P, Punnaveetil S. Early Detection and Screening of Cancer. 2018;149-160. DOI
- 23. Makimbetov E, Salikhar R, Tumanbaev A, Toktanalieva A, Kerimov A. Cancer Epidemiology In The World. Modern Problems of Science and Education. 2020. <u>DOI</u>
- 24. Mahdi Hala, Mula-Hussain Layth, Ramzi Zhian S., Tolba Marwan, Abdel-Rahman Omar, Abu-Gheida Ibrahim, Khorshid Ola, et al. Cancer Burden Among Arab-World Females in 2020: Working Toward Improving Outcomes. *JCO global oncology*. 2022; 8<u>DOI</u>
- 25. O'Reilly Mary, Mellotte Gregory, Ryan Barbara, O'Connor Anthony. Gastrointestinal side effects of cancer treatments. *Therapeutic Advances in Chronic Disease*. 2020; 11DOI
- 26. Li w. Interventions to Mitigate Chemotherapy Side Effects in Lung Cancer Patients. *Journal* of Student Research. 2024; 12DOI
- 27. DU W, Wang W, Cao Yi. Mechanism and research progress of classical prescriptions and non-classical prescriptions in prevention and treatment of side effects of radiotherapy and

chemotherapy. *Zhongguo Zhong yao za zhi = Zhongguo zhongyao zazhi = China journal of Chinese materia medica*. 2022; 47(23)DOI

- 28. Magno S., Filippone A., Scaldaferri A.. Evidence-based usefulness of integrative therapies in breast cancer. *Translational cancer research*. 2018.
- 29. Magno S, Alessio F, Scaldaferri A, Sacchini V, Chiesa F. Integrative approaches in breast cancer patients: A mini-review. *ResearchGate*. 2024;460-464. DOI
- 30. Theunissen grid, Bagot J. Supportive cancer care: is integrative oncology the future?. *Current Opinion in Oncology*. 2024; 36(4)DOI
- 31. O'Brien K, Ried K, Binjemain T, Sali A. Integrative Approaches to the Treatment of Cancer. *Cancers.* 2022; 14(23)DOI
- 32. Majeski R, Chiaramonte D. Evidence-Based Integrative Health Care to Promote Quality of Life in Older Adults With Cancer. *Innovation in Aging.* 2021; 5(Supplement_1)DOI
- 33. Deng G, Latte-Naor S. Integrative Oncology: The Role of Complementary Medicine in Supportive Cancer Care. 2018;145-161. DOI
- 34. Luna J, Amaya E, Torres MV, Peña MC, Prieto I. [NUTRIENTS AND RADIOTHERAPY; REVIEW OF THE LITERATURE]. *Nutricion Hospitalaria*. 2015; 32(6)<u>DOI</u>
- 35. Black HS. The role of nutritional lipids and antioxidants in UV-induced skin cancer. *Frontiers in Bioscience (Scholar Edition).* 2015; 7(1)DOI
- 36. Samanta C, Tewari S, Chakraborty D, Vaishnav S. Omega-3 Fatty Acid and its Protective Effect against Cancer and Cancer-related Complication. *Journal of Pharmaceutical Research International.* 2022. DOI
- 37. Polański J, Świątoniowska-Lonc N, Kołaczyńska S, Chabowski M. Diet as a Factor Supporting Lung Cancer Treatment-A Systematic Review. *Nutrients.* 2023; 15(6)DOI
- 38. Mansara P, Ketkar M, Deshpande R, Chaudhary A, Shinde K, Kaul-Ghanekar R. Improved antioxidant status by omega-3 fatty acid supplementation in breast cancer patients undergoing chemotherapy: a case series. *Journal of Medical Case Reports*. 2015; 9<u>DOI</u>
- 39. Freitas RDS, Campos MM. Protective Effects of Omega-3 Fatty Acids in Cancer-Related Complications. *Nutrients.* 2019; 11(5)DOI
- 40. Podpeskar A, Crazzolara R, Kropshofer G, Hetzer B, Meister B, Müller T, Salvador C. Omega-3 Fatty Acids and Their Role in Pediatric Cancer. *Nutrients*. 2021; 13(6)<u>DOI</u>
- 41. Nemati A, Nachvak S, Djafarian K, Faizi-Khankandi I. Effect of omega-3 fatty acid supplementation on nutritional status in patients with gastric cancer during chemotherapy. *Journal of Nutritional Sciences and Dietetics*. 2015.
- 42. Zhang M, Wen Y, Liu W, Peng L, Wu X, Liu Q. Effectiveness of Mindfulness-based Therapy for Reducing Anxiety and Depression in Patients With Cancer: A Meta-analysis. *Medicine*. 2015; 94(45)DOI
- 43. Zhu P, Liu X, Shang Xi, Chen Y, Chen C, Wu Q. Mindfulness-Based Stress Reduction for Quality of Life, Psychological Distress, and Cognitive Emotion Regulation Strategies in Patients With Breast Cancer Under Early Chemotherapy-a Randomized Controlled Trial. *Holistic Nursing Practice*. 2023; 37(3)DOI
- 44. Sheikhzadeh M, Zanjani Z, Baari A. Efficacy of Mindfulness-Based Cognitive Therapy and Cognitive Behavioral Therapy for Anxiety, Depression, and Fatigue in Cancer Patients: A Randomized Clinical Trial. *Iranian Journal of Psychiatry*. 2021; 16(3)DOI
- 45. Park S, Sato Y, Takita Y, Tamura N, Ninomiya A, Kosugi T, Sado M, et al. Mindfulness-Based Cognitive Therapy for Psychological Distress, Fear of Cancer Recurrence, Fatigue, Spiritual Well-Being, and Quality of Life in Patients With Breast Cancer-A Randomized Controlled Trial. *Journal of Pain and Symptom Management.* 2020; 60(2)DOI
- 46. Compen F, Bisseling E, Schellekens M, Donders R, Carlson L, Lee M, Speckens A. Face-to-Face and Internet-Based Mindfulness-Based Cognitive Therapy Compared With Treatment as Usual in Reducing Psychological Distress in Patients With Cancer: A Multicenter Randomized Controlled Trial. *Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology.* 2018; 36(23)DOI
- 47. Zhang Z, Leong Bin Abdullah MFI, Shari NI, Lu P. Acceptance and commitment therapy versus mindfulness-based stress reduction for newly diagnosed head and neck cancer patients: A randomized controlled trial assessing efficacy for positive psychology,

depression, anxiety, and guality of life. PloS One. 2022; 17(5)DOI

- 48. Henrich C. The Role of Nutrition in Integrative Oncology. 2000;407-436. DOI
- 49. Carruba G, Calagna ML, Campisi I, Cutrera S, Napoli L, Pitti G, Palmisano V, et al. Unmet Nutritional and Psychological Needs of Cancer Patients: An Integrated Multi-Professional Model Approach. Diseases (Basel, Switzerland). 2022; 10(3)DOI
- 50. Block KI, Block PB, Gyllenhaal C. Integrative therapies in cancer: modulating a broad spectrum of targets for cancer management. Integrative Cancer Therapies. 2015; 14(2)DOI
- 51. Carlson LE, Oberoi DV, Qureshi M, Subnis U. Integrative Oncology Trials in the Real World: Assessing the Pragmatism of an Ongoing Integrative Oncology Trial of Mindfulness and T'ai Chi/Qigong. Journal of Alternative and Complementary Medicine (New York, N.Y.). 2018; 24(9-10)DOI
- 52. Kyr M, Svobodnik A, Stepanova R, Hejnova R. N-of-1 Trials in Pediatric Oncology: From a Population-Based Approach to Personalized Medicine-A Review. Cancers. 2021; 13(21)DOI
- 53. Simon R. Genomic Alteration-Driven Clinical Trial Designs in Oncology. Annals of Internal Medicine. 2016; 165(4)DOI
- 54. Takezaki T., Hirose K., Inoue M., Hamajima N., Yatabe Y., Mitsudomi T., Sugiura T., Kuroishi T., Tajima K.. Dietary factors and lung cancer risk in Japanese: with special reference to fish consumption and adenocarcinomas. British Journal of Cancer. 2001; 84(9)DOI
- 55. Anti M., Armelao F., Marra G., Percesepe A., Bartoli G. M., Palozza P., Parrella P., et al. Effects of different doses of fish oil on rectal cell proliferation in patients with sporadic colonic adenomas. *Gastroenterology*. 1994; 107(6)DOI
- 56. Sánchez D, Quiñones M, Moulay L, Muguerza B, Miguel M, Aleixandre A. Soluble fiberenriched diets improve inflammation and oxidative stress biomarkers in Zucker fatty rats. Pharmacological Research. 2011; 64(1)DOI
- 57. Wood LG. Diet and lung disease-Are fruits and vegetables the ideal whole-food intervention?. Respirology (Carlton, Vic.). 2021; 26(6)DOI
- 58. Ferguson LR, Philpott M. Cancer prevention by dietary bioactive components that target the immune response. Current Cancer Drug Targets. 2007; 7(5)DOI
- 59. Casas R, Sacanella E, Estruch R. The immune protective effect of the Mediterranean diet against chronic low-grade inflammatory diseases. Endocrine, Metabolic & Immune Disorders Drug Targets. 2014; 14(4)DOI
- 60. Sutanto YS, Ibrahim D, Septiawan D, Sudiyanto A, Kurniawan H. Effect of Cognitive Behavioral Therapy on Improving Anxiety, Depression, and Quality of Life in Pre-Diagnosed Lung Cancer Patients. Asian Pacific journal of cancer prevention: APJCP. 2021; 22(11)DOI
- 61. Melati KBDS, Bellynda M, Yarso KY, Kusuma W, Sudiyanto A. The Effectiveness of Mindfulness-Based Cognitive Therapy to Improve Anxiety Symptoms and Ouality of Life in Breast Cancer Patients. Asian Pacific journal of cancer prevention: APJCP. 2024; 25(9)DOI
- 62. Li J, Cai Z, Li X, Du R, Shi Z, Hua Q, Zhang M, et al. Mindfulness-based therapy versus cognitive behavioral therapy for people with anxiety symptoms: a systematic review and meta-analysis of random controlled trials. Annals of Palliative Medicine. 2021; 10(7)DOI
- 63. Bahcivan O, Estapé T, Gutierrez-Maldonado J. Efficacy of New Mindfulness-Based Swinging Technique Intervention: A Pilot Randomised Controlled Trial Among Women With Breast Cancer. Frontiers in Psychology. 2022; 13DOI
- 64. Soylu C. Effectiveness of Cognitive Behavioral Therapy Techniques on Anxiety and Depression in Cancer Patients. ResearchGate. 2024. DOI
- 65. Beck AC, Garland EL, Hansen PA, Walker D, Reimers C, Thomas EA, Mijangos J, White S. Integrated Mindfulness-Oriented Recovery Enhancement (MORE) and physical health intervention for cancer survivors with obesity: Preliminary results from a pilot randomized controlled trial.. Journal of Clinical Oncology. 2015; 33(29 suppl)DOI
- 66. Lau BHP, Chow AYM, Ng T, Fung Y, Lam T, So T, Chan JSM, et al. Comparing the efficacy of integrative body-mind-spirit intervention with cognitive behavioral therapy in patientcaregiver parallel groups for lung cancer patients using a randomized controlled trial. Journal of Psychosocial Oncology. 2020; 38(4)DOI
- 67. Reddy M, Koipallil G, Orman A. Integrative Methods for Management of Toxicities

Associated with Radiation Treatment for Breast Cancer. *Toxicities of Radiation Treatment for Breast Cancer.* 2019. DOI

- 68. Ramirez M, Kristeller J, Houfek J, et al. Trajectories of inflammatory biomarkers: A culinarybased intervention for women with early stage breast cancer. *Psycho-Oncology*. 2017.
- 69. Ramirez M, Houfek J, Anderson A, et al. An anti-inflammatory dietary intervention to reduce recurrence risk in breast cancer survivor. *Psycho-Oncology.* 2016.
- 70. Ream MA, Sáez-Clarke E, Reamer L, et al. Brief postsurgical stress management reduces inflammation in women undergoing surgery for breast cancer. *Brain Behav Immun Health*. 2022.
- 71. Li J, Xie L, Zhao X. A psychological nursing intervention for patients with early breast cancer based on resilience theory. *Clin Nurs Res.* 2022.
- 72. Sun L, Zhang X, Gong P, Zhang L, Zhao Y. Clinical Efficacy of Bevacizumab Plus XELOX Chemotherapy in Colorectal Cancer and Application Value of Mindfulness-Based Stress Reduction Intervention. *Alternative Therapies in Health and Medicine*. 2022; 28(6)
- 73. Atreya CE, Kubo A, Borno HT, Rosenthal B, Campanella M, Rettger JP, Joseph G, et al. Being Present: A single-arm feasibility study of audio-based mindfulness meditation for colorectal cancer patients and caregivers. *PloS One*. 2018; 13(7)DOI
- 74. Rush SE, Sharma M. Mindfulness-Based Stress Reduction as a Stress Management Intervention for Cancer Care: A Systematic Review. *Journal of Evidence-Based Complementary & Alternative Medicine*. 2017; 22(2)DOI
- 75. Cheng M, Zhang S, Ning C, Huo Q. Omega-3 Fatty Acids Supplementation Improve Nutritional Status and Inflammatory Response in Patients With Lung Cancer: A Randomized Clinical Trial. *Frontiers in Nutrition*. 2021; 8DOI
- 76. Gui L, Cheng M, Zheng M, Ning C, Huo Q. Effects of omega-3 fatty acid supplementation on nutritional status and inflammatory response in patients with stage II-III NSCLC undergoing postoperative chemotherapy: a double-blind randomized controlled trial. *Frontiers in Nutrition.* 2023; 10DOI
- 77. Chua AV, Hernandez ARB, Mendoza MJL, San Juan MD. Omega-3 Fatty Acids Increase Weight and Quality of Life Scores in Patients With Advanced Non-Small Cell Lung Cancer and Cancer Cachexia: A Meta-Analysis. *Integrative Cancer Therapies*. 2024; 23<u>DOI</u>
- 78. Zhang M, Liu C, Zhang X, Zhao L, Li Y, Su M. The Impact of a Diet Rich in Omega-3 Fatty Acids on the Quality of Life of Patients with Squamous Cell Lung Cancer and Comorbid Depression: A Retrospective Study. *Actas Espanolas De Psiquiatria*. 2024; 52(4)DOI
- 79. Adelman M. The healing power of a whole foods, plant-based diet: A nutrition prescription for cancer. 2017.
- 80. Taha AAA, Koshiyama M, Matsumura N, Abiko K, Yamaguchi K, Hamanishi J, Baba T, et al. The effect of the type of dietary protein on the development of ovarian cancer. Oncotarget. 2018; 9(35)DOI
- 81. Cao A, Esserman DA, Cartmel B, Irwin ML, Ferrucci LM. Association between diet quality and ovarian cancer risk and survival. *Journal of the National Cancer Institute*. 2024; 116(7)DOI
- 82. Kormosh N., Laktionov K., Antoshechkina M.. Effect of a combination of extract from several plants on cell-mediated and humoral immunity of patients with advanced ovarian cancer. *Phytotherapy research: PTR.* 2006; 20(5)DOI
- 83. Pharr J. Carbohydrate consumption and fatigue: A review. *Internet J Allied Health Sci Pract.* 2010; 7(6)
- 84. Fricke-Comellas H, Heredia-Rizo AM, Casuso-Holgado MJ, Salas-González J, Fernández-Seguín LM. Exploring the Effects of Qigong, Tai Chi, and Yoga on Fatigue, Mental Health, and Sleep Quality in Chronic Fatigue and Post-COVID Syndromes: A Systematic Review with Meta-Analysis. *Healthcare (Basel, Switzerland)*. 2024; 12(20)DOI
- 85. Armer JS, Lutgendorf SK. The Impact of Yoga on Fatigue in Cancer Survivorship: A Meta-Analysis. *JNCI cancer spectrum*. 2020; 4(2)<u>DOI</u>
- 86. Bower JE, Greendale G, Crosswell AD, Garet D, Sternlieb B, Ganz PA, Irwin MR, et al. Yoga reduces inflammatory signaling in fatigued breast cancer survivors: a randomized controlled trial. *Psychoneuroendocrinology*. 2014; 43DOI



- 87. Campbell D. F., Dixon J. K., Sanderford L. D., Denicola M. A., Relaxation: its effect on the nutritional status and performance status of clients with cancer. *Journal of the American Dietetic Association*. 1984; 84(2)
- 88. Sloman R., Brown P., Aldana E., Chee E.. The use of relaxation for the promotion of comfort and pain relief in persons with advanced cancer. *Contemporary Nurse*. 1994; 3(1)DOI
- 89. Salvador M, Rodrigues CC, Carvalho E. Use of relaxation for pain relief in oncology. *Rev Rene.* 2012; 9
- 90. Suwanvecho S, Suwanvecho B, Pongpirul K. Total relaxation: A Buddhist mindfulness-based intervention pilot studies in laypersons and cancer patients.. *Journal of Clinical Oncology*. 2018; 36(34_suppl)<u>DOI</u>
- 91. Petrou S, Mamais I, Lavranos G, P Tzanetakou I, Chrysostomou S. Effect of Vitamin D Supplementation in Prostate Cancer: A Systematic Review of Randomized Control Trials. International Journal for Vitamin and Nutrition Research. Internationale Zeitschrift Fur Vitamin- Und Ernahrungsforschung. Journal International De Vitaminologie Et De Nutrition. 2018; 88(1-2)DOI
- 92. Zhang P, Schatz A, Adeyemi B, Kozminski D, Welsh J, Tenniswood M, Wang W. Vitamin D and testosterone co-ordinately modulate intracellular zinc levels and energy metabolism in prostate cancer cells. *The Journal of Steroid Biochemistry and Molecular Biology*. 2019; 189<u>DOI</u>
- 93. Marshall DT, Savage SJ, Garrett-Mayer E, Keane TE, Hollis BW, Horst RL, Ambrose LH, et al. Vitamin D3 supplementation at 4000 international units per day for one year results in a decrease of positive cores at repeat biopsy in subjects with low-risk prostate cancer under active surveillance. *The Journal of Clinical Endocrinology and Metabolism*. 2012; 97(7)DOI
- 94. Hollis BW, Marshall DT, Savage SJ, Garrett-Mayer E, Kindy MS, Gattoni-Celli S. Vitamin D3 supplementation, low-risk prostate cancer, and health disparities. *The Journal of Steroid Biochemistry and Molecular Biology*. 2013; 136DOI
- 95. Xie J. The clinical outcomes and expenses of comprehensive intervention in the patients with leukemia. 2009.
- 96. Jarden M, Adamsen L, Kjeldsen L, Birgens H, Tolver A, Christensen JF, Stensen M, Sørensen V, Møller T. The emerging role of exercise and health counseling in patients with acute leukemia undergoing chemotherapy during outpatient management. *Leukemia Research*. 2013; 37(2)DOI
- 97. Yadav RK, Magan D, Mehta M, Mehta N, Mahapatra SC. A short-term, comprehensive, yogabased lifestyle intervention is efficacious in reducing anxiety, improving subjective wellbeing and personality. *International Journal of Yoga*. 2012; 5(2)DOI
- 98. Moghadam Manesh M, Zhao W. Failure of the Health Transformation Plan in Iran: How much has the Fee-for-Service payment system been to blame?. The 2022 System Dynamics Conference, Frankfurt, Germany. https://proceedings.systemdynamics.org/2022/abstracts/1339.html. 2022.
- 99. Doroudgar P, Mousavi-fard B, Khadematolrasoul M, shams F, Khashabi E, Mirzae Gabaran Z. Evaluation of the Effect of Chitosan and Titanium Dioxide Nanoparticles Mixed with Orthodontic Primer on Shear Bond Strength: A Systematic Review and Meta-analysis. *International Journal of Scientific Research in Dental and Medical Sciences*. 2024; 6(4):184-191. DOI
- 100. Rigi A, Harati K, Abbaspour M, Fattahpour SF, Hosseini P, Moghadam Fard A, Hobbi M, et al. AI and Deep Learning in Understanding the Etiology and Pathogenesis of Autoimmune Diseases. *Kindle*. 4(1):1-182. Retrieved from https://preferpub.org/index.php/kindle/article/view/Book46.
- 101. Rahmani E, Farrokhi M, Nemati P, Riahi S, Esmaielzade Rostami M, Shemshadi Golafzani R, Gheibi F, et al. Global Health Challenges. *Kindle*. 4(1):1-218. Retrieved from https://preferpub.org/index.php/kindle/article/view/Book47.